





# CONTENTS

About Green Power Plant	4-5
Excavators (Up To 35 Tonne)	6-9
Telehandlers	10-12
Forklifts	13
Heavy lifts & Roto Telehandlers	14
Skid Steers	15
Rollers (Trench, Twin Drum & Self Propelled)	16-17
Dumpers (Straight & Swivel)	18-19
Scissor Lifts	20-22
Booms	23-25
Generators	26-27
Lighting Towers	28
Fluid Storage	29
Pressure Washers	30
Site Welfare	31
Green Power Scaffolding	32
Electric & Hybrid Machines	33
Green Power Plant Sales	34
Industrial Heaters	35
Green Power Construction Hoists	36
Plant & Machine Operators	37
Flood Services	38
Hire Link UK Tool Hire	39
Scaffold Erection / Alloy Towers	40
Vacuum Excavators	41-42
Operated Self Drive Truck Mount Hire	43
Green Power Waste Services	44
Shark Attachments	45-49
Non Mechanical Plant	50
Green Power Construction Site Services	51
Cornwood Finance	52
Credit Account Form	53-54

# Welcome to

# Green Power Plant

Green Power Plant is a specialist plant hire operation. We offer our clients self drive machines for hire and operated plant hire anywhere in the UK.



Our customers operate on a national basis, generating high volumes of often complex equipment requests. These must be coordinated efficiently, delivering the right machine or equipment to the right place, every time, to make sure that contracts and sites can keep on working.

**Green Power Plant** consists of knowledgeable hire controllers who support our busy clients, day in day out. It offers a stress free solution for our customers, who simply place their orders via either a phone call or email to their dedicated, account manager, who will source everything they need for next day delivery, anywhere in the UK.

Each day, **Green Power Plant** handles hundreds of phone calls from small building companies as well as some of the most prestigious contractors in the country.









# Looking for a new Nationwide Telehandler supplier?

Arrange a meeting with us and JCB at their exclusive Golf and Country Club.





## Hitachi ZX19U



Dimensions (ARM: 1.13m)

## **Operating Weight:**

1880kg

## Length:

3540mm

### Width:

1280mm

## Height:

2380mm

## Max Digging Depth:

2390mm

#### Max Reach:

3990mm

### Max Cutting Height:

3640mm

## Hitachi ZX26U



Dimensions (Dipper Length: 1300mm)

## **Operating Weight:**

2720kg / 5996.5lbs

## Length:

4100mm / 13ft 5in

## Width:

1500mm / 4ft 11in

#### Cab Height:

2430mm / 7ft 11in

## Max Digging Depth:

2730mm / 8ft 11in

#### Max Reach:

4570mm / 14ft 11in

### Max Cutting Height:

4260mm / 13ft 11in

## Hitachi ZX33U



Dimensions (Dipper Length: 1520mm)

## **Operating Weight:**

3510kg / 7738.2lbs

## Length:

4530mm / 14ft 10in

#### Width:

1550mm / 5ft 1in

#### Cab Height:

2480mm / 8ft 1in

### Max Dig Depth:

3130mm / 10ft 3in

#### Max Reach:

5040mm / 16ft 6in

### Max Cutting Height:

4470mm / 14ft 7in

### Hitachi ZX38U



Dimensions (Dipper Length: 1720mm)

## **Operating Weight:**

3940kg / 8686.2lbs

## Length:

4760mm / 15ft 7in

#### Width:

1740mm / 5ft 8in

## Cab Height:

2480mm / 8ft 1in

## Max Digging Depth:

3460mm / 11ft 4in

## Max Reach:

5410mm / 17ft 8in

## Max Cutting Height:

4740mm / 15ft 6in

#### Hitachi ZX48U



Dimensions (Dipper Length: 1690mm)

## **Operating Weight:**

4790kg / 10560.1lbs

## Length:

5390mm / 17ft 8in

#### Width:

1960mm / 6ft 5in

#### Cab Height:

2530mm / 8ft 3in

## Max Digging Depth:

3630mm / 11ft 10in

#### Max Reach:

5920mm / 19ft 5in

## **Max Cutting Height:**

5820mm / 19ft 1in

#### Hitachi ZX85USB



Dimensions (Dipper Length: 2120mm)

## **Operating Weight:**

8470kg / 18673.1lbs

### Length:

6820mm / 22ft 4in

#### Width:

2350mm / 7ft 8in

## Cab Height:

2550mm / 8ft 4in

### Max Digging Depth:

4510mm / 14ft 9in

#### Max Reach:

7560mm / 24ft 9in

## Max Cutting Height:

7140mm / 23ft 5in

## Hitachi ZX130-6



Dimensions (Dipper Length: 3010mm)

## **Operating Weight:**

13500kg / 29762.3lbs

### Length:

7700mm / 25ft 3in

#### Width:

2790mm / 9ft 1in

## Cab Height:

2790mm / 9ft 1in

## Max Digging Depth:

5540mm / 18ft 2in

#### Max Reach:

All machines are fully serviced and tested before delivery! 8170mm / 26ft 9in

### Max Cutting Height:

8600mm / 28ft 2in

## Hitachi ZX135



Dimensions (Dipper Length: 3010mm)

## **Operating Weight:**

14000kg / 30864.6lbs

## Length:

7370mm / 24ft 2in

## Width:

2690mm / 8ft 9in

## Cab Height:

2790mm / 9ft 1in

## Max Digging Depth:

5490mm / 18ft

#### Max Reach:

8240mm / 27ft

## Max Cutting Height:

9290mm / 30ft 5in

## Hitachi ZX210



Dimensions (Dipper Length: 2910mm)

## **Operating Weight:**

21600kg / 47619.7lbs

## Length:

9660mm / 31ft 8in

#### Width:

2580mm / 8ft 5in

#### Cab Height:

2950mm / 9ft 8in

#### Max Digging Depth:

6670mm / 21ft 10in

#### Max Reach:

9750mm / 31ft 11in

## **Max Cutting Height:**

10040mm / 32ft 11in

## Hitachi ZX225



Dimensions (Dipper Length: 2910mm)

## **Operating Weight:**

24900kg / 54895lbs

## Length:

9110mm / 29ft 10in

## Width:

3290mm / 10ft 9in

## Cab Height:

2950mm / 9ft 8in

## Max Digging Depth:

6620mm / 21ft 8in

## Max Reach:

9990mm / 32ft 9in

## Max Cutting Height:

11230mm / 36ft 10in



## 14 Tonne Zero Tail



#### **Dimensions**

Weight:

14000kg

Length:

7390mm

Width:

2690mm

Height:

2790mm

Max Digging Depth:

5980mm

Max Reach:

8860mm

Max Cutting Height:

9690mm

## 22 Tonne



#### **Dimensions**

Weight:

22225-24100kg

Length:

5580-9070mm

Width:

3090mm

Height:

2950-3025mm

Max Digging Depth:

6570-6700mm

Max Reach:

9880-10010mm

Max Cutting Height:

9600-11230mm

## 35 Tonne (and above)



## **Dimensions**

Weight:

34700kg

Length:

11220mm

Width:

3190mm

Height:

3270mm

Max Digging Depth:

7380mm

Max Reach:

11100mm

Max Cutting Height:

10360mm

Hire Desk: 0121 355 4083





## 4 Metre



## 5 Metre



6 Metre



## **Dimensions**

Weight: 4400kg Length: 2920mm Width: 1560mm

1970mm Max Lifting Height: 4000mm

Max Lifting Weight:

2000kg

Height:

Weight: 4870kg

Length: 3590mm

Width: 1840mm

Height: 2120mm

Max Lifting Height:

5000mm

Max Lifting Weight: 2000kg

## **Dimensions**

Weight: 4710kg

Length: 3275mm

Width: 1813mm

Height: 1920mm

2500kg

Max Lifting Height: 5850mm

Max Lifting Weight:

Hire Desk: 0121 355 4083

## 7 Metre



## 9.5 Metre



## Nationwide Delivery



CPCS Operators



Construction Services



24/7 Call Out



For all enquiries for all areas of the **UK** please contact: 0121 355 4083

#### **Dimensions**

Weight: 6900kg Length:

4990mm Width: 2230mm

Height: 2490mm

Max Lifting Height:

7000mm

Max Lifting Weight:

3100kg

Weight: 9140kg

Length: 5840mm

Width: 2350mm

Height: 2590mm

Max Lifting Height: 9500mm

Max Lifting Weight:

3500kg

## 10.5 Metre



## 12.5 Metre





#### **Dimensions**

Weight: 8850kg

Length: 5380mm Width:

2290mm

Height: 2490mm

Max Lifting Height:

10220mm

Max Lifting Weight: 3300kg



### **Dimensions**

Weight: 9140kg

Length: 5840mm

Width: 2350mm

Height: 2590mm

Max Lifting Height:

12000mm

Max Lifting Weight: 3500kg

14 Metre

## **Dimensions**

Weight: 10880kg

Length: 6230mm

Width: 2350mm

Height: 2590mm

Max Lifting Height: 13780mm

Max Lifting Weight: 3500kg

delivery! Hire Desk: 0121 355 4083

hiredesk@greenpower-plant.co.uk | www.greenpower-plant.co.uk

All machines are fully serviced and tested before

## 17 Metre



#### **Dimensions**

Weight: 12160kg Length: 6360mm Width: 2440mm

2690mm Max Lifting Height:

16700mm

Height:

**Max Lifting Weight:** 

4000kg

## 18 Metre



#### **Dimensions**

Weight: 11380kg Length: 6270mm

Width: 2350mm

Height: 2590mm

Max Lifting Height:

17510mm

**Max Lifting Weight:** 

4000kg

## 20 Metre



**Dimensions** 

Weight: 12985kg

Length: 6810mm

Width: 2440mm Height:

2720mm

Max Lifting Height:

20000mm

Max Lifting Weight:

4000kg

## Hire Desk: 0121 355 4083

hiredesk@greenpower-plant.co.uk | www.greenpower-plant.co.uk

All machines are fully serviced and tested before delivery!





Nationwide Delivery



**CPCS** Operators



Construction Services



24/7 Call Out



For all enquiries for all areas of the **UK** please contact: 0121 355 4083



## **Diesel Forklifts**



## All Terrain Forklifts



**Heavy Duty Forklift** 



**Gas Forklifts** 



**Battery Forklifts** 



**Battery Stacker Lift** 



Hire Desk: 0121 355 4083



## **ROTO - 360°** 21 Metre



## **Heavy Lift** 24 Metre



**ROTO - 360°** 25 Metre (and above)



## **Dimensions**

Weight: 17620kg Length: 6860mm

Width: 2460mm

Height: 3050mm

Max Lifting Height:

20600mm Max Lifting Weight:

4999kg

## **Dimensions**

Weight: 17000kg Length:

7750mm Width:

2400mm

Height: 2900mm

Max Lifting Height:

9620mm

Max Lifting Weight:

12000kg

#### **Dimensions**

Weight: 18600kg

Length: 7830mm

Width: 2460mm

Height: 3050mm

Max Lifting Height:

24600mm

Max Lifting Weight: 4000kg

Hire Desk: 0121 355 4083



## S70 Skid-Steer



### **Dimensions**

Operating height	3,051mm
Height with operator cab	1,814mm
Angle of departure	25°
Ground clearance	141mm
Wheelbase	722mm
Length without attachment	1,925mm
Length with standard bucket	2,472mm
Rollback at ground position	22°
Dump height with standard bucket	1,934mm
Height to bucket hinge pin	2,399mm
Dump reach at maximum height	400mm
Dump angle at maximum height	34 °
Rollback fully raised at max height	97°
Width over standard bucket	914mm
Turning radius with bucket	1,557mm
Track, standard tyres	752mm
Width over standard tyres	901mm

Contact hire desk. 0121 355 4083

## S450 Skid-Steer



## **Dimensions**

Operating height	3,558mm
Height with operator cab	1,976mm
Angle of departure	23°
Ground clearance	214mm
Wheelbase	900mm
Length without attachment	2,499mm
Length with standard bucket	3,172mm
Rollback at ground position	26°
Dump height with standard bucket	2,157mm
Height to bucket hinge pin	2,781mm
Dump reach at maximum height	587mm
Dump angle at maximum height	40°
Rollback fully raised at max height	91°
Width over standard bucket	1,575mm
Turning radius with bucket	1,940.6mm


## All machines are available with a full selection of attachments.

## S550 Skid-Steer



## **Dimensions**

Operating height	3,787mm
Height with operator cab	1,972mm
Angle of departure	24.2 °
Ground clearance	185mm
Wheelbase	1,082mm
Length without attachment	2,657mm
Length with standard bucket	3,378mm
Rollback at ground position	30°
Dump height with standard bucket	2,205mm
Height to bucket hinge pin	2,908mm
Dump reach at maximum height	467mm
Dump angle at maximum height	42°
Rollback fully raised at max height	97°
Width over standard bucket	1,727mm
Turning radius with bucket	2,032mm
Track, standard tyres	1,374mm
Width over standard tyres	1,643mm
Width over tyres, 10 x 16.5, 10-ply, Heavy duty,	
offset rims	1,520mm



### 80cm Twin-Drum



#### **Dimensions**

Weight:

1475kg

Length:

2327mm

Width: 865mm

Height:

1731mm

Drum Width:

820mm

Compaction Rating (kN):

23

## 120cm Twin-Drum



**Dimensions** 

Weight:

2540-2800kg

Length:

2400-2475mm

Width:

1276-1310mm

Height:

1736-1937mm

Drum Width:

1200mm

Compaction Rating (kN):

38-45

## 135cm Twin-Drum



**Dimensions** 

Weight:

3600-4195kg

Length:

2500-2856mm

Width:

1380-1506mm

Height:

1800-1900mm

Drum Width:

1300-1380mm

Compaction Rating (kN):

37-65

Hire Desk: 0121 355 4083

hiredesk@greenpower-plant.co.uk | www.greenpower-plant.co.uk

All machines are fully serviced and tested before delivery!



## **Remote Control Roller**



#### **Dimensions**

**Weight:** 1480kg

Length: 1770mm

Width: 850mm Height:

1200mm **Drum Width:**630 or 850mm

Compaction Rating (kN):

## **Pedestrian Roller**



#### **Dimensions**

**Weight:** 476kg

Length: 2180mm

**Width:** 750mm

**Height:** 1300mm

**Drum Width:** 710mm

Compaction Rating (kN):

80

## 7t Self Propelled



#### **Dimensions**

Weight: 6840kg

**Length:** 4680mm

Width: 2100mm

**Height:** 2790mm

**Drum Width:** 1680mm

Compaction Rating (kN): 125

13t Self Propelled



#### **Dimensions**

Weight: 14955kg

**Length:** 5686mm

Width: 2436mm Height:

3030mm **Drum Width:** 

2200mm

Compaction Rating (kN):

300

20t Self Propelled (& above)



### **Dimensions**

Weight: 20930kg

**Length:** 6338mm

Width: 2300mm

Height: 3022mm Drum Width:

2130mm

Compaction Rating (kN): 326

Hire Desk: 0121 355 4083



## 1 Tonne Dumper



#### **Dimensions**

Weight: 1295kg Length: 3192mm Width: 1115mm Height: 1773mm Payload: 1000mm

**Site Capacity** 500ltr

## **3 Tonne Dumper**



#### **Dimensions**

Weight: 3000kg Length: 3755mm Width: 1950mm Height: 2680mm Payload: 3000mm **Site Capacity** 1250ltr

## **6 Tonne Dumper**



**Dimensions** Weight: 6000kg Length: 4320mm Width: 2350mm Height: 2910mm Payload: 6000mm **Site Capacity** 1950ltr

## Hire Desk: 0121 355 4083





Nationwide Delivery



**CPCS** Operators



Construction Services



24/7 Call Out



For all enquiries for all areas of the **UK** please contact: 0121 355 4083

## **6 Tonne Swivel Dumper**



## 9 Tonne Straight Dumper



## **ADT** hire



#### **Dimensions**

Weight: 4270kg Length: 4590mm Width: 2095mm Height: 2160mm Payload: 6000mm **Site Capacity** 3520ltr

**Dimensions** Weight: 4770kg Length: 4520mm Width: 2500mm Height: 3130mm Payload: 9000mm **Site Capacity** 4700ltr

Machines Available

Hydrema	912F	12T
Hydrema	912G	12T
Bell	B20E	18T
Bell	B20E	18T
Bell	B25E	19.6T
Bell	B30E	20T
Bell	B30E	20T
Volvo	A30G	23.5T
Volvo	A30G	32.5T
CAT	730C	24T
CAT	730C	24T
Bell	B45E	30T
Volvo	A45G	41

Hire Desk: 0121 355 4083

# Scissor Lifts

## SJ12



Work Height: 5.48m
Raised Platform Height: 3.65m
Lowered Platform Height: 0.45m
Overall Width: 0.77m
Overall Length: 1.37m
Stowed Height: 1.79m
Platform Width (inside): 0.69m
Platform length (inside): 0.93m

## **SJ16**



Work Height: 6.58m
Raised Platform Height: 4.75m
Lowered Platform Height: 0.45m
Overall Width: 0.77m
Overall Length: 1.37m
Stowed Height: 1.79m
Platform Width (inside): 0.69m
Platform length (inside): 0.93m

## **SJIII 3215**



Work Height: 6.40m
Raised Platform Height: 4.57m
Lowered Platform Height: 0.88m
Overall Width: 0.81m
Overall Length: 1.78m
Stowed Height: 1.88m
Platform Width (inside): 0.66m
Platform length (inside): 1.63m

## **SJIII 3220**



Work Height: 7.92m Raised Platform Height: 6.10m Lowered Platform Height: 0.97m Overall Width: 0.81m Overall Length: 2.32m Stowed Height (rails up): 1.97m Stowed Height (rails down): 1.61m Platform Width (inside): 0.71m Platform length (inside): 2.13m

Hire Desk: 0121 355 4083

All machines are fully serviced and tested before delivery!

## **SJIII3219**



Work Height:	7.62m
Raised Platform Height:	5.79m
<b>Lowered Platform Height:</b>	0.99m
Overall Width:	0.81m
Overall Length:	1.78m
Stowed Height (rails up):	1.99m
Stowed Height (rails down):	1.64m
Platform Width (inside):	0.66m
Platform length (inside):	1.63m

## **SJIII 3226**



Work Height:	9.75m
Raised Platform Height:	7.92m
<b>Lowered Platform Height:</b>	1.14m
Overall Width:	0.81m
Overall Length:	2.32m
Stowed Height (rails up):	2.15m
Stowed Height (rails down):	1.79m
Platform Width (inside):	0.71m
Platform length (inside):	213m

## **SJIII 4626**



Work Height:	9.75m
Raised Platform Height:	7.92m
Lowered Platform Height:	1.14m
Overall Width:	1.17m
Overall Length:	2.31m
Stowed Height (rails up):	2.15m
Stowed Height (rails down):	2.15m
Platform Width (inside):	1.07m
Platform length (inside):	2.13m

## **SJIII 4632**



Work Height:	11.58m
Raised Platform Height:	9.75m
Lowered Platform Height:	1.23m
Overall Width:	1.17m
Overall Length:	2.31m
Stowed Height (rails up):	2.24m
Stowed Height (rails down)	: 1.88m
Platform Width (inside):	1.07m
Platform length (inside):	2.13m

## **SJIII 4740**



Work Height:	13.8m
Raised Platform Height:	12.0m
Lowered Platform Height:	1.37m
Overall Width:	1.19m
Overall Length:	2.40m
Stowed Height (rails up):	2.49m
Stowed Height (rails down)	: 1.99m
Platform Width (inside):	1.06m
Platform length (inside):	2.19m

## SJ6826 RT



Work Height:	9.75m
Raised Platform Height:	7.92m
Lowered Platform Height:	1.23m
Overall Width:	1.76m
Overall Length:	2.72m
Stowed Height (rails up):	2.38m
Stowed Height (rails down):	: 1.61m
Platform Width (inside):	1.42m
Platform length (inside):	2.44m

## Hire Desk: 0121 355 4083

# **Scissor Lifts**

## SJ6832 RT



Work Height:	11.58m
Raised Platform Height:	9.75m
Lowered Platform Height:	1.37m
Overall Width:	1.76m
Overall Length:	2.72m
Stowed Height (rails up):	2.51m
Stowed Height (rails down)	: 1.75m
Platform Width (inside):	1.42m
Platform length (inside):	2.44m

## SJ6832 RTE



Work Height:	11.58m
Raised Platform Height:	9.75m
Lowered Platform Height:	1.37m
Overall Width:	1.76m
Overall Length:	2.72m
Stowed Height (rails up):	2.51m
Stowed Height (rails down)	: 1.75m
Platform Width (inside):	1.42m
Platform length (inside):	2.44m

## SJ8831 RT



Work Height:	11.27m
Raised Platform Height:	9.45m
Lowered Platform Height:	1.50m
Overall Width:	2.21m
Overall Length:	3.53m
Stowed Height (rails up):	2.67m
Stowed Height (rails down):	1.99m
Platform Width (inside):	1.70m
Platform length (inside):	3.40m

## SJ8841 RT



Work Height:	14.32m
Raised Platform Height:	12.50m
Lowered Platform Height:	1.75m
Overall Width:	2.21m
Overall Length:	3.53m
Stowed Height (rails up):	2.90m
Stowed Height (rails down)	: 2.22m
Platform Width (inside):	1.70m
Platform length (inside):	3.40m

## SJ9250 RT



Work Height:	17.07m
Raised Platform Height:	15.24m
<b>Lowered Platform Height:</b>	2.01m
Overall Width:	2.34m
Overall Length:	4.47m
Stowed Height (rails up):	3.17m
Stowed Height (rails down):	2.29m
Platform Width (inside):	1.88m
Platform length (inside):	4.27m

## **Power Tower Platforms**



Contact our depot for full range of sizes and platforms 0121 355 4083



## **Haulotte Star 10**



Work Height:	10m
Platform Height:	8m
Horizontal Reach:	3m
Platform Size:	0.78x9.8m
Stowed Width:	1m
Tailswing:	0
Stowed Height:	1.99m
Transport Height:	1.99m
Stowed Length:	2.7m
Transport Length:	2.7m
Wheelbase:	1.02m
<b>Ground Clearance:</b>	10cm

## Genie Z30 Boom



Work Height:	11.14m
Platform Height:	9.14m
Horizontal Reach:	6.53m
Up and Over Height:	3.86m
Platform Size:	1.17m
Stowed Width:	1.19m
Stowed Height:	3.5m
Transport Height:	2.05m
Stowed Length:	5.11m
Transport Length:	3.5m
Wheelbase:	1.58m
Ground Clearance:	0.09m

## Genie Z45 Boom



Work Height:	15.87m
Platform Height:	13.87m
Horizontal Reach:	7.62m
Up and Over Height:	7.04m
Platform Size:	1.83m
Stowed Width:	1.83m
Stowed Height:	2.00m
Transport Height:	2.00m
Stowed Length:	5.56m
Transport Length:	5.56m
Wheelbase:	2.03m
Ground Clearance:	0.24m

# **Booms**

## SJ45 T



Work Height:	15.60m
Platform Height:	13.77m
Horizontal Reach:	12.12m
Platform Size:	0.91x2.44m
Stowed Width:	2.29m
Stowed Height:	2.39m
Stowed Length:	8.79m
Wheelbase:	2.44m
Ground Clearance:	0.28m

## SJ63 AJ



Work Height:	21.21m
Platform Height:	19.38m
Horizontal Reach:	12.19m
Up and Over Height:	8.38m
Platform Size:	0.91x2.40m
Stowed Width:	2.44m
Stowed Height:	2.54m
Stowed Length:	9.14m
Wheelbase:	2.44m
<b>Ground Clearance:</b>	0.33m

## SJ85 AJ



Work Height:	27.74m
Platform Height:	25.91m
Horizontal Reach:	17.07m
Up and Over Height:	10.36m
Platform Size:	0.91x2.40m
Stowed Width:	2.49m
Stowed Height:	2.67m
Stowed Length:	11.63m
Wheelbase:	2.84m
Ground Clearance:	0.34m

## Nifty Lift HR12L



Work Height:	12.1m
Platform Height:	10.1m
Horizontal Reach:	6.4m
Platform Size:	1.2x0.85m
Stowed Width:	1.79m
Tailswing:	0
Stowed Height:	1.98m
Stowed Length:	3.97m
Wheelbase:	3.63m

## Nifty Lift HR12 4x4



Work Height:	12.2m
Platform Height:	10.2m
Horizontal Reach:	6.1m
Platform Size:	1.1x0.65m
Stowed Width:	1.6m
Tailswing:	0
Stowed Height:	1.95m
Stowed Length:	4.1m
Wheelbase:	4.3m

## Nifty Lift HR15N



Work Height:	15.5m
Platform Height:	13.5m
Horizontal Reach:	9.7m
Platform Size:	1.5x0.8m
Stowed Width:	1.5m
Tailswing:	0
Stowed Height:	1.99m
Stowed Length:	4.93m
Wheelbase:	3.5m

# Booms

## Nifty Lift HR15 4x4



Work Height: 15.7m 13.7m Platform Height: Horizontal Reach: 9.4m **Platform Size:** 1.8x0.85m Stowed Width: 2m **Stowed Height:** 2.1m Stowed Length: 4.8m Wheelbase: 3.7m

## Nifty Lift HR17N



Work Height:	17m
Platform Height:	15m
Horizontal Reach:	9.7m
Platform Size:	1.5x0.8m
Stowed Width:	1.5m
Stowed Height:	1.99m
Stowed Length:	4.93m
Wheelbase:	3.5m

## Nifty Lift HR17 4x4



Work Height:	17.2m
Platform Height:	15.2m
Horizontal Reach:	9.4m
Platform Size:	1.8x0.85m
Stowed Width:	2m
Stowed Height:	2.1m
Stowed Length:	4.8m
Wheelbase:	3.7m

## Nifty Lift HR21



20.8m Work Height: 18.8m **Platform Height:** Horizontal Reach: 13m **Platform Size:** 1.8x0.8m **Stowed Width:** 2.27m **Stowed Height:** 2.18m Stowed Length: 5.47m Wheelbase: 3.89m

## Nifty Lift HR21 4x4



Work Height: 20.8m 18.8m Platform Height: Horizontal Reach: 13m **Platform Size:** 1.8x0.8m Stowed Width: 2.27m **Stowed Height:** 2.18m Stowed Length: 5.47m Wheelbase: 3.89m

## **Spider Booms**



Full range of Spider Booms available in every size possible.

Pleased contact the hire desk for more info. 0121 355 4083













Hire Desk: 0121 355 4083

## 25KVA Diesel



## 33KVA Diesel



## 45KVA Diesel



## **60KVA** Diesel



100KVA Diesel



160KVA Diesel







## X-ECO (LED-6)



6 x 150W LED lighting head Illuminates 3,800m2 @5 lux Diesel 1kVA 240v Aux Power

## X-HYBRID MOBILE

4 x 150W LED lighting head Illuminates 3,000m2 @5 lux Diesel

16 hour run time in battery mode

## MINI-LITE (LED-4)



4 x 200W LED 3600 swivel & tilt 2.6m2 of illuminated light coverage Diesel

4.5kVA (230V) Generator Power

## BABY-LITE 6.5KVA (LED-4)



4 x 200W LED 3600 swivel & tilt 2,300m2 Light Coverage

**Petrol** 

6.5kVA (230v/110v) AC Generator Pwr

## PEDESTRIAN SOLAR LIGHT



1 x 40W+1 x 15W Full adjustable swivel LED Solar Pedestrian Light

## **ROAD TOW SOLAR LIGHT**



4x100W LED Fully adjustable Swivel trailor mounted LED Solar Light

# Fluid Storage

## **FUEL BUDDY 950**



950 litre capacity
Stackable design
Lockable access/ storage hatch

## **FUEL BUDDY 2000**



2000 litre capacity
Stackable design
Lockable access/ storage hatch

## **FUEL BUDDY 3000**



3000 litre capacity
Stackable design
Lockable access/ storage hatch

## **FUEL CADDI-105**



105 litre capacity

Lockable access/ storage hatch

## **Towable Diesel Bowser**



We now keep a huge range of Bunded Diesel Bowsers ranging from 1000ltr to

## l

Nationwide Delivery



**CPCS** Operators



Construction Services



24/7 Call Out

## **Water Bowser**



Full range of water bowsers available in 1000ltr and 2000ltr capacity.

## **Water Bowser Sprinkler**



Water bowser fitted with a petrol engine and sprinkler attachment used for water suppression



For all enquiries for all areas of the UK please contact: 0121 355 4083



## **Diesel Washer Bowser**



Diesel pressure washer mounted on a towable trailer.

## Mini Petrol Washer



Petrol pressure washer mounted on a push around trolley.

## **Diesel Site Washer**



Diesel pressure washer mounted on a push around trolley.



## **Full Welfare Units**



We now keep a huge selection of site storage and site containers.

## **Site Offices**



Full selection of site offices available starting from 10ft to 30ft.

## **Site Toilets**



From static toilets to trailer mounted toilets we have all your welfare covered.

### **Portaloo**



We now keep a huge selection of portaloos.

## **Site Security Fencing**



Full range of site fencing and hoarding panels

## **Site Barriers**



Full range of site barriers and road traffic management system



# **Electric & Hybrid Machines**

## Electric Mini Diggers/Dumpers/Telehandlers/Solar Generators

## **Electric Mini Digger**







**ELECTRIC 1 TONNE DUMPER** 




**Electric Mini Dumpster** 



**Electric Telehandler** 









## **Industrial Heaters**

**Diesel Space Heater** 



Oil Fired Radiant Heater



**Indirect Oil Fired Heaters** 



## **Industrial Heaters**

Red Rad 110v Heater



Gas Bin Heater



**Gas Space Heater** 











# Plant & Machine Operators



## **Excavator Operator**



All our operators are fully qualified to CPCS or NPORS accreditation

## **Dumper Operator**



All our operators are fully qualified to CPCS or NPORS accreditation

## **Telehandler Operator**



All our operators are fully qualified to CPCS or NPORS .

#### **Boom Operator**



All our operators are fully qualified to IPAF along with CSCS accreditation.

## **Scissor Lift Operator**



All our operators are fully qualified to IPAF along with CSCS accreditation.

## **Spider Operator**



All our operators are fully qualified to IPAF along with CSCS accreditation.

## **Plant Haulage Services**



We can offer a full site haulage of all your plant and equipment Nationwide.


## Plant Repair & Servicing



Full plant repair and service requirements can now be undertaken by our specialist service team.









Hirelink UK Midlands Ltd is our sister tool hire company.

They provide a solution for all our customers to offer tool hire facilities for all credit account customers for **GREEN POWER PLANT HIRE**.

As the Midlands leading supplier of tools, access, survey and small plant equipment hire, Hire Link UK can support all of your projects whether small or large. They have over 1000 popular products to offer and we can deliver anywhere in the Midlands within 24hrs.

## What they offer:

- Tool and equipment hire
- Access and alloy hire
- Generators, compressors and pumps
- Heating, ventilation and calling
- Concrete equipment
- Breaking and drilling
- Pipework and engineering
- Site lighting
- Survey and detection
- Specialist lifting equipment
- Site cement mixers
- Building and site works
- Cleaning and floor care
- Garden and landscaping
- Sawing and cutting

Contact the hire desk for more details:

Hire Desk: 0121 355 2626

boldmerehiredesk@hirelinkuk.co.uk

















VACUUM EXCAVATORS



# **VACUUM EXCAVATORS**

GP Site solutions have invested in its own fleet of 'Vac-ex' Suction Excavators.

The fleet are the safest and most eco-friendly units available on today's market.

Contact hire desk: 0121 355 4083

hiredesk@greenpower-plant.co.uk

ground-workers to enable us to complete any given project.

Our Vacuum Excavators are commonly used on:

- Highways
- New Housing Connections
- Gas Utility Connections
- City Fibre Optics
- Water mains
- Nationwide Delivery
- Daily / Weekly Hire Rates
- Fully Insured
- Experienced Operators
- Free Site Survey
- Available to hire 24/7



# Operated & Self Drive Truck Mount Hire

GP Site solutions have invested in its own fleet of Truck Mount Boom Vehicles. Self Drive Truck Mounted Cherry Picker Rental puts you in control of the hire process.

Unlike traditional forms of working at height options such as scaffolding, cherry pickers and scissor lifts you can now use our fleet of truck mounted cherry pickers to do several jobs on different sites on the same hire.

- All sizes and heights available
- Operated or Self Drive
- Nationwide Coverage
- Brand new fleet

Contact hire desk:

0121 355 4083

hiredesk@greenpower-plant.co.uk





Hire Desk: 0121 355 4083

ryan@sasattachments.co.uk www.sasattachments.co.uk

- Breakers Block Grabs Adjustable Crane JIB Fork Extensions Ripper Tooth Auger Drive
  - Demolition Grabs Selector Grabs Excavation Forks Lift Hooks Dust Suppression
    - Mini Crushers Compact Plates Concrete Pouring Buckets



## OKB150 - 3T Breaker



Suitable Machine (ton) 1.35.5T

**Operating Weight (kg)** 210kg

Overall Height (mm) 1279mm

**Operating Pressure (bar)** 

80-110 Oil Flow (lpm)

20-40 Tool Specs (mm)

45x500

**Back Head Pressure (Bar)** 14-17

Impact Rate (bpm) 700-1200

## OKB300 - 5T Breaker



Suitable Machine (ton) 5-8T

Operating Weight (kg) 360kg

Overall Height (mm) 1652mm

**Operating Pressure (bar)** 100-130

Oil Flow (lpm)

40-70 Tool Specs (mm)

68x700 **Back Head Pressure (Bar)** 14-17

Impact Rate (bpm) 500-900

## OKB350 - 8T Breaker



Suitable Machine (ton) 5-9T

**Operating Weight (kg)** 460kg

Overall Height (mm) 1862mm

**Operating Pressure (bar)** 100-130

Oil Flow (lpm) 50-90

Tool Specs (mm) 75x712

**Back Head Pressure (Bar)** 14-17

Impact Rate (bpm) 400-800

#### OKB1000 - 13T Breaker



#### OKB1500 - 20T Breaker



# Nationwide Delivery







## Suitable Machine (ton)

10-20T

**Operating Weight (kg)** 

Overall Height (mm)

2310mm

**Operating Pressure (bar)** 150-170

Oil Flow (lpm)

80-110

Tool Specs (mm)

100x1000

**Back Head Pressure (Bar)** 

14-17

**Impact Rate (bpm)** 

350-700

## Suitable Machine (ton)

13-24T

**Operating Weight (kg)** 

Overall Height (mm)

2440mm

Operating Pressure (bar)

150-170

Oil Flow (lpm)

80-110

Tool Specs (mm)

120x110

**Back Head Pressure (Bar)** 

14-17

**Impact Rate (bpm)** 

350-600



SHNRKATTACHMENT SERVICES

For all enquiries for all areas of the **UK** please contact: 0121 355 4083

## Block Grab-1800



## Block Grab-1600



## Adjustable Crane JIB - 2500



# **SWL**

1800kg

**Internal Height** 

800mm

Jaw Width

400-1150mm

Weight

200kg

#### SWL 1600kg

**Internal Height** 

1000mm

Jaw Width 400-1150mm

Weight 215kg

**READY** FOR HIRE 0121 355 4083

Specifically designed and developed for the UK market to lift palletized brick loads

(Note: bricks must be securely bound). Suitable for handling all types of concrete products such as slabs, steel-strapped bricks, blocks kerb stones and paving blocks. Palletized bound loads. Lined with hard rubber pads to minimise damage to load.

#### Capacity

2500kg

**Extension Range** 

700-3700mm

**Fork Pocket** 

190x80mm

Height

635mm

Width

\*640mm

Weight 210kg

\* Including restraint pin

## Adjustable Crane JIB - 5000



## Capacity

5000kg

#### **Extension Range**

700-3700mm

#### **Fork Pocket**

190x80mm

#### Height

635mm

#### Width

\*640mm

#### Weight

210kg

\* Including restraint pin

## Fork Extensions 1.8Mtr



#### **UDLPER Per Pair**

4000kg

#### **Pocket Width**

148x60mm

#### Length

1829mm

#### **Weight Per Fork**

26kg

#### Fork Extensions 2.4Mtr



#### **UDLPER Per Pair**

4000kg

#### **Pocket Width**

148x60mm

#### Length

2440mm

#### **Weight Per Fork**

39kg

## **Excavation Riddle Bucket**




These are ideal for separating mixed material.

## Ripper Tooth



Ripper Tooths available for all size excavators

# Auger Drive 3-13T Ecx



All sizes of Auger attachments available for excavators and skidsteers.

#### **Demolition Grabs**



This demolition grab is the perfect tool for collecting various waste on demolition sites.

## **Selector Grabs**



All grabs available for all our excavators for sorting material on site.

## **Excavation Forks**



We keep a huge range of excavator fork attachments for all our excavators.

# Lift Hooks



Forklift hook attachments for up to 10 tonne.

## **Dust Suppression**



Dust suppression system to suit any situation.

## Mini Crusher



Mini crusher without the need for a hydraulic circuit.

## **Compact Plates**



Compact plate suitable for compacting deep excavations.

## **Concrete Pouring Bucket**



Cubic Metre Concrete Pouring Buckets to suit various size excavators











hiredesk@greenpower-plant.co.uk







# Finance your business through our finance department.

Green Power Plant working in partnership with Cornwood Finance have the knowledge and expertise to support you and your business on any future growth plans. We have many years of experience in pulling together all types of finance offers from straightforward car finance through to detailed re-finance agreement.

We want to make the journey easy by adding value to your business and work with you to deliver a funding solution that fits.



Speak to our finance contact:

07843 253 690

kieran@cornwoodfinance.co.uk

- · New and used plant, machinery, attachments & vehicles financed
- Work closely with clients to ensure that we find a suitable funding structure - become your business partner and offer advice and support
- Access to over 40 lenders ensuring we can provide the most competitive & suitable funding package
- Hire Purchase, Finance Lease, Refinance & Operating lease facilities all available
- Vast knowledge of the construction sector, the equipment and the required funding profiles.
- Re-finance product to raise working capital against unencumbered plant & machinery



Coppice Farm, Coppice Lane, Middleton, B78 2BU

Hire Desk: 0121 355 4083 hiredesk@greenpower-plant.co.uk

# **CREDIT ACCOUNT APPLICATION**

COMPANY TRADING NAME & ADDRESS:	GENERAL TELEPHONE NO:
	GENERAL FAX NO:
	NATURE OF BUSINESS:
	ANNUAL TURNOVER E:
	DATE INCORPORATED:
	NO. OF EMPLOYEES:
OMPANY REGISTRATION NO:	ESTIMATED MONTHLY SPEND:
ACCOUNTS DETAILS	BUYER DETAILS
CONTACT NAME:	CONTACT NAME:
EMAIL ADDRESS:	EMAIL ADDRESS:
TEL NUMBER:	TEL NUMBER:
FAX NUMBER:	FAX NUMBER:
BANKING DETAILS	INVOICE DETAILS
PAYMENT METHOD: CHEQUE BACS	ADDRESS/POSTCODE:
IF BACS PLEASE ENTER YOUR ACCOUNT DETAILS BELOW. BANK NAME:	
ACCOUNT NUMBER:	
	DO YOU REQUIRE ORDER NUMBERS ON THE INVOICES? YES NO
SORT CODE:	DO YOU REQUIRE OUR INVOICES BY A PARTICULAR DATE IN ORDER TO MEET OUR PAYMENT TERMS?
	IF YES PLEASE ADVISE DATE:
	HOW WOULD YOU LIKE TO RECEIVE YOUR INVOICES? EMAIL POST
WHERE DID YOU HEAR ABOUT	GREEN POWER OPERATED PLANT HIRE
GOOGLE / SEARCH FACEBOOK TWITTER	INSTAGRAM LINKEDIN PUBLICATIONS

# **INSURANCE INFORMATION**

INSURANCE BROKER DETAILS:	
BROKER NAME	NAME OF CONTACT:
POLICY NUMBER:	CONTACT EMAIL ADDRESS:
EXPIRY DATE:	CONTACT TELEPHONE NO.:
EXPIRE DATE:	CONTACT TEEEPHONE NO.
LIMIT:	CONTACT FAX NO.:
PLEASE PROVIDE CORV IN	SURANCE CERTIFICATE FOR:
Hired In Plant Insurance/ Contractors All Risks Insurance	SURFACE CERTIFICATE TOR.
	AC DI PAGE BROWING CORV. INCURANCE CERTIFICATE FOR
	S PLEASE PROVIDE COPY INSURANCE CERTIFICATE FOR:
Comprehensive Road Risk Insurance	
Dear Sir / Madam,	- 1
RE: HIRED IN PLANT INSURANCE	
Please accept this letter as confirmation that we authorise insurance brokers to obtain required insurance information	Green Power Plant Hire Ltd to approach our insurers / relating to the hire by us of plant / vehicles.
We are also aware of our legal responsibilities that if any its 14 days it is our responsibility to ensure that the Motor Insu	
Yours faithfully	
for and on behalf of	
COMPANY NAME	
	A CONTRACTOR OF THE CONTRACTOR
SIGNED	DATE:
PRINT NAME	POSITION
HIRE GOODS	S & SERVICES
	ject to company's conditions of business including those listed below.
1. ALL PLANT HIRED UNDER CONSTRUCTION PLANT HIRE ASSOCIATION	7. Green Power Plant Hire Ltd OPERATE A STRICT CREDIT LIMIT WITH
CONDITIONS (CPA JULY 2011). THESE TERMS AND CONDITIONS WILL APPLY IN PREFERENCE TO AND SUPERCEDE ANY TERMS AND	ALL ITS CUSTOMERS. IF YOU EXCEED YOUR LIMIT AT ANYTIME YOU AGREE TO PAY SUFFICIENT FUNDS TO BRING YOUR
CONDITIONS REFERRED TO, OFFERED OR RELIED ON BY THE HIRER. CLAUSE 21 APPLIES FOR ALL WEEKLY HIRES.	<ol> <li>ACCOUNT BALANCE BELOW YOUR CREDIT LIMIT, WE RESERVE THE RIGHT TO WITHDRAW CREDIT FACILITIES IF THESE TERMS ARE NOT</li> </ol>
2. FULL TERMS AVAILABLE FROM OUR HEAD OFFICE UPON REQUEST. 3. PUNCTURES AND TYRE DAMAGE IS THE RESPONSIBILITY OF HIRER.	ADHERED TO.  9. IF YOU DO NOT EXCEED YOUR CREDIT LIMIT OUR CREDIT TERMS ARE
ALL DAMAGES ARE CHARGEABLE TO HIRER.     HIRER TO INSURE COMPREHENSIVELY AGAINST THIRD PARTY LOSS	STRICTLY 30 DAYS NET END OF MONTH.  10.QUERIES TO BE NOTIFIED TO HEAD OFFICE WITHIN TEN DAYS FROM
AND ALL OTHER RISKS.	DATE OF INVOICE.
B. HIRER IS RESPONSIBLE FOR HEALTH AND SAFETY WEEKLY INSPECTIONS.	11.JF ANY ITEM OF ROAD REGISTERED PLANT IS HIRED FOR IN EXCESS OF 14 DAYS IT IS THE CUSTOMERS RESPONSIBILITY TO ENSURE THAT THE MOTOR INSURER'S DATABASE (MID) IS ADVISED ACCORDINGLY
Declaration:	SIGNED
This application is to be signed by a Director of the company only. It may be	DATE:
the case that the credit facility may only be granted if a personal guarantee is entered into. If this is the case, we will advise you separately. By signing this document you are only binding your company to Green Power Plant Hire Ltd and Conditions.	PRINT NAME
	POSITION





JCB

0121-355-4083

greenpower-plant.co.uk



A FULL DAY'S WORK on a single charge.

MAX PRODUCTIVITY guaranteed with constant 4WD and 3 steering modes

REDUCED MAINTENANCE COSTS

ADAPTIVE LOAD CONTROL

automatically prevents tipping forward during heavy loading.

- **Battery Capacity: 24kW**
- Max Lift Capacity: 2500kg

Max Lift Height: 6.0m

JCB

The all-new 525-60E compact telehandler is part of JCB's pioneering 100% electric **E-TECH** range, with zero emissions, less noise and zero compromise on performance. This opens up the possibilities to operate wherever and whenever you need to and is suitable for extended hours of work throughout the night.

0121-355-4083

greenpower-plant .co.uk



SELF CHARGING HYBRID POWER

REDUCE CO2 EMISSIONS

REDUCE FUEL COSTS

REDUCE NOISE

REDUCE ENGINE MAINTENANCE

0121-355-4083

greenpower-plant .co.uk















Hire Desk: 0121 355 4083

hiredesk@greenpower-plant.co.uk www.greenpower-plant.co.uk